

## Premium White Top Liner

Premium White Top Liner offers a superior print surface with high brightness and hold out beyond that of conventional white top products.

	31	36	42
Grade Code	WT31PR	WT36PR	WT42PR
<b>Conditioned Basis Wt (7.5%H<sub>2</sub>O), lbs/1000sf</b> <i>Tappi T 410</i>			
Nominal	31	36	42
Reject Above	33.0	38.0	44.0
Reject Below	29.0	34.0	40.0
<b>Moisture Average, %</b> <i>Tappi T 412</i>			
Average (%)	6.8	6.8	6.8
Range (+ / - )	1.5	1.5	1.5
<b>Moisture Variation, %</b> Maximum 2-Sigma (CD)	1.5	1.5	1.5
<b>Ring Crush (CD), lbf</b> <i>Tappi T 822</i>			
Reject Below	-	-	-
<b>STFI (CD), lbf/in</b> <i>Tappi T 826</i>			
Reject Below	12.9	16.0	18.4
<b>Porosity (Gurley), sec/100cc</b> <i>Tappi T 460</i>			
Reject Below	15	15	15
<b>Internal Bond, ft-lb/in<sup>2</sup></b> <i>Tappi UM 808</i>			
Peel - Reject Below	0.8	0.8	0.8
<b>Cobb 30 Minute (TOP), g/m<sup>2</sup></b> <i>Tappi T 441</i>			
Reject Above	155	155	155
<b>Smoothness</b> <i>Emveco Microdeviations</i>			
Target	30	30	30
Maximum	45	45	45
Minimum	-	-	-
<b>Brightness, %</b> <i>ISO 2469 &amp; 2470</i>			
Average (%)	80	80	80
Range (+ / - )	2	2	2
<b>Caliper, mils</b> <i>Tappi T 411</i>			
Average	6.1	7.1	8.9
Typical CD Roll Variability	+/-1	+/- 1	+/- 1